



METAL-FACH



CONSTRUCTIONS FOR
FRONT LOADERS

WWW.METALFACH.COM.PL

2024/1



METAL-FACH®



LIST CONTENTS

TRACOR LIST

ACTIVE HYPERLINK

04 / ARBOS / AVENGER

23 / FENDT

34 / NEW HOLLAND

05 / ARMATRAC / BASAK

25 / JOHN DEERE

40 / PRONAR

06 / BELARUS

27 / JUMZ

42 / RENAULT

09 / CASE

28 / KIOTI

43 / SOLIS

12 / CLAAS

28 / KUBOTA

44 / STEYR

13 / DEUTZ FAHR

30 / LANDINI

45 / TYM

16 / SAME

33 / LOVOL

46 / URSUS

17 / LAMBORGHINI

34 / MASSEY
FERGUSON

47 / VALTRA

18 / FARMER

32 / MTZ

48 / ZETOR

20 / FARMTRAC

33 / MCcORMICK

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models ARBOS ↓	V- RECCOMENDED FRONT LOADERS								● - MATCHING FRONT LOADERS							
1	3055 Stage V	V															KW-M.AS3055_SV

Front loader version		TX30	T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index			M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name					KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		300 kg	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders			900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models AVENGER ↓	V- RECCOMENDED FRONT LOADERS								● - MATCHING FRONT LOADERS								
1	26				V													KW-M.AV26N
2	26	V																KW-M.AV26_TX30
3	26H				V													KW-M.AV26H

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models ARMATRAC ↓	V- RECCOMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS								
1	504 e									V					V		KW-M.ARTR504
2	584 e	V															KW-M.ARTR584
3	804							V			●		V			●	KW-M.ARTR804
4	904 e+							V			●		V			●	KW-M.ARTR904
5	1104 (z silnikiem Deutz Fahr)							V			●		V			●	KW-M.ARTR1104

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models AVENGER ↓	V- RECCOMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS								
1	2110S						V										KW-M.BS2110S

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider
Internal Index	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name			KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders	900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models BELARUS ↓	V- RECCOMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS							
1	320.4	V														KW-M.B3204_SDM
2	320.4	V	V													KW-M.B3204.1_SDM
3	422.1	V	V													KW-M.B422.1.Q45
4	622	V														KW-M.B622_SDM
5	80.1							V		●		V			●	KW-M.MTZ82A
6	82.1							V		●		V			●	KW-M.MTZ82A
7	900							V		●		V			●	KW-M.MTZ82A
8	920							V		●		V			●	KW-M.MTZ82A
9	920.2							V		●		V			●	KW-M.MTZ82A
10	950							V		●		V			●	KW-M.MTZ82A
11	952							V		●		V			●	KW-M.MTZ82A
12	1021							V		●		V			●	KW-M.MTZ82A
13	1025							V		●		V			●	KW-M.MTZ82A
14	952.2					V					V					KW-M.MTZ82A
15	922.5							V		●		V			●	KW-M.9525
16	952.5							V		●		V			●	KW-M.9525
17	1025.5							V		●		V			●	KW-M.9525
18	892.2						V					V				KW-M.MTZ82A
19	1025.2					V						V				KW-M.MTZ82A
20	920.3					V						V				KW-M.1025
21	922.3					V						V				KW-M.1025

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider
Internal Index	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name			KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders	900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models BELARUS ↓	V- RECCOMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS							
22	952.3				V						V					KW-M.1025
23	1021.3				V						V					KW-M.1025
24	1025.3				V						V					KW-M.1025
25	800					V					V					KW-M.B800
26	820					V					V					KW-M.B800
27	890					V					V					KW-M.B890
28	892					V					V					KW-M.B890
29	920.3 Lithuanian version				V						V					KW-M.1025L
30	922.3 Lithuanian version				V						V					KW-M.1025L
31	952.3 Lithuanian version				V						V					KW-M.1025L
32	1021.3 Lithuanian version				V						V					KW-M.1025L
33	1025.3 Lithuanian version				V						V					KW-M.1025L
34	920.4				V						V					KW-M.9204
35	952.4				V						V					KW-M.9204
36	1025.4				V						V					KW-M.9204
37	1221				V						V					KW-M.1221
38	1221.2				V						V					KW-M.1221
39	1221.3				V						V					KW-M.1221
40	1221 with original TUZ				V						V					KW-M.1221T
41	1221.4 Without a front three-point hitch					V					V					KW-M.12214
42	1221.5 Without a front three-point hitch					V					V					KW-M.12215

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name			KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders	900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models BELARUS ↓	V- RECOMMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS								
43	1221.5 z TUZ "Pomarol Biskupiec"							V									KW-M.12215T
44	1523.3							V									KW-M.15233
45	1523.4							V									KW-M.15234
46	1523.4																KW-M.15234_T248
47	1523.5							V					V		●		KW-M.15235
48	1221				V												KW-M.BLR_1221.2_UA
49	1221.2				V												KW-M.BLR_1221.2_UA
50	1221.3				V												KW-M.BLR_1221.2_UA
51	920.3				V												KW-M.BLR_1025.2_UA
52	922.3				V												KW-M.BLR_1025.2_UA
53	952.3				V												KW-M.BLR_1025.2_UA
54	1021.3				V												KW-M.BLR_1025.2_UA
55	1025.3				V												KW-M.BLR_1025.2_UA

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241				T241/1		Divider		
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.P16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KS.	DS.		KS.	KW.	KW.	KS.			
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg		1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide		1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models CASE ↓	V- RECCOMENDED FRONT LOADERS								• - MATCHING FRONT LOADERS									
1	CS 86 With a front TPH								V									V	KW-M.CS86T
2	4230 IH									•	V					•	V		KW-M.C4230
3	CS 105 PRO													V				•	KW-M.CS105
4	CS 95 Pro					V							V					KW-M.S9105	
5	FARMALL 105A (95a po 2016)													V				•	KW-M.CF105A
6	FARMALL 65A													V				•	KW-M.CF65A
7	FARMALL 85A													V				•	KW-M.CF85A
8	FARMALL 85C													V				•	KW-M.T5105
9	FARMALL 95A													V				•	KW-M.CF95A
10	FARMALL 95U													V				•	KW-M.CF95U
11	International 1055					V								V				KW-M.IS1055	
12	International 1056 AXL					V								V				KW-M.C1056AXL_SDM	
13	JX 1090U													V				•	KW-M.JXU85
14	JX 1090U With a front TPH													V				•	KW-M.JXU85T
15	JX 60													V				•	KW-M.JX80
16	JX 70													V				•	KW-M.JX80
17	JX 80													V				•	KW-M.JX80
18	JX 90 A tractor version without air conditioning													V				•	KW-M.JX95
19	JX 95 A tractor version without air conditioning 105,115													V				•	KW-M.JX95
20	JXU 105													V				•	KW-M.JXU85
21	JXU 105 With a front TPH													V				•	KW-M.JXU85T

Front loader version		T812	T812/1	T812/2N	T229				T229/1			T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.P16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KS.	DS.		KS.	KW.	KW.	KS.		
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg		1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide		1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models CASE ↓	V- RECCOMENDED FRONT LOADERS								● - MATCHING FRONT LOADERS								
21	JXU 105 With a front TPH							V			●			V			●	KW-M.JXU85T
22	JXU 115							V			●			V			●	KW-M.JXU85
23	JXU 115 With a front TPH							V			●			V			●	KW-M.JXU85T
24	JXU 85							V			●			V			●	KW-M.JXU85
25	JXU 85 With a front TPH							V			●			V			●	KW-M.JXU85T
26	JXU 95							V			●			V			●	KW-M.JXU85
27	JXU 95 With a front TPH							V			●			V			●	KW-M.JXU85T
28	MX 100,110,120,135					V						V						KW-M.CMX110
29	Farmall 75A Stage V Power Shuttle							V						V				KW-M.CF75A
30	Farmall 90A Stage V Power Shuttle							V						V				KW-M.CF100A_SV
31	Farmall 100A Stage V Power Shuttle							V						V				KW-M.CF100A_SV
32	Vestrum 120 Stage V												V					KW-M.NCV120

Front loader version		TX30	T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider		
Internal Index		TX30-A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name					KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity		300 kg	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders			900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models CAPTAIN ↓		V- RECOMMENDED FRONT LOADERS								• - MATCHING FRONT LOADERS								
1	263 (Stage V, with a protection frame)	V																KW-M.CPT263_TX30	
2	263 (Stage V, with a protection frame)				V													KW-M.CPT263	

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider		
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models CLAAS ↓	V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS									
1	Celtis 456 RX							V										KW-M.C456
2	Arion 410 CIS							V										KW-M.C410
3	Atos 350							V			•		V				•	KW-M.LS1154_T4
4	Axos 340 CX							V			•		V				•	KW-M.C340
5	Axos 340 CX With a front TPH							V			•		V				•	KW-M.C340T

Front loader version		T812	T812/1	T812/2N	T229/1					T241			T241/1		Divider	
Internal Index	M.019A	V.01A	M.01A	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name			KW	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders	900	900	800	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models DEUTZ FAHR ↓	V- RECCOMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS							
1	DX 4.50						V			•		V			•	KW-M.DX450
2	DX 85				V						V					KW-M.DX85
3	DX 90				V						V					KW-M.DX85
4	Agroplus 70							•	V				•	V		KW-M.DF80_SDM
5	Agroplus 80							•	V				•	V		KW-M.DF80_SDM
6	Agroplus 87							•	V				•	V		KW-M.DF87_SDM
7	Agroplus 95							V	•				V	•		KW-M.DF95
8	Agroplus 100						V			•		V			•	KW-M.DF100
9	Agroplus 310							•		V		•			V	KW-M.SD80
10	Agroplus 315							•		V		•			V	KW-M.SD80
11	Agroplus 320							•		V		•			V	KW-M.SD80
12	Agroplus 310 (Lower exhaust outlet)							•		V		•			V	KW-M.DF320E
13	Agroplus 315 (Lower exhaust outlet)							•		V		•			V	KW-M.DF320E
14	Agroplus 320 Ecoline (Lower exhaust outlet)							•		V		•			V	KW-M.DF320E
15	Agroplus 310 (Upper exhaust outlet)							•		V		•			V	KW-M.DF310E
16	Agroplus 315 (Upper exhaust outlet)							•		V		•			V	KW-M.DF310E
17	Agroplus 320 Ecoline (Upper exhaust outlet)							•		V		•			V	KW-M.DF310E
18	Agroplus 410						V			•		V			•	KW-M.SD90
19	5080.D Ecoline							•		V		•			V	KW-M.DF5080DE
20	5120C With a front TPH				V						V					KW-M.DF5120C
21	Agrotron 4.90 S						V				V					KW-M.DF490.Q75

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider
Internal Index	M.019A	V.01A	M.01A	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name			KW	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders	900	900	800	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models DEUTZ FAHR ↓	V- RECCOMENDED FRONT LOADERS						● - MATCHING FRONT LOADERS								
22	Agrotron K120				V					V						KW-M.DF120_SDM
23	Agrotron K610			V						V						KW-M.DF610
24	Agrotron 6140			V						V						KW-M.DF6140
25	Agrofarm 430					V			●		V			●		KW-M.DF430
26	Agrofarm 100					V			●		V			●		KW-M.DF430
27	Agrofarm 85					V			●		V			●		KW-M.R385
28	Agrofarm 410					V			●		V			●		KW-M.R385
29	Agrofarm 420					V			●		V			●		KW-M.R385
30	Agrofarm 430 G					V			●		V			●		KW-M.SE105
31	5090.4 D					V			●		V			●		KW-M.DF50904D
32	5090.4 (D, LS, DT,GS)			V							●					KW-M.SE904_LS_HD
33	5105.4g			V							●					KW-M.SE904_LS_HD
34	Agrolux 410					V			●		V			●		KW-M.DF410A
35	Agrolux 65 Version without a cabin, with a protection frame					●			V		●			V		KW-M.LB75R
36	Agrolux 75					●			V		●			V		KW-M.DF75A
37	Agrolux 320					●			V		●			V		KW-M.DF75A
38	Agrolux 4.80 Russia version					●			V		●			V		KW-M.DF4.80
39	4070E								V					V		KW-M.DF4070E
40	5080 keyline								V					V		KW-M.DF5080DK
41	5080D keyline	V														KW-M.DF5080DK_T812
42	5080G					V					●					KW-M.DF5100G_AB

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider
Internal Index	M.019A	V.01A	M.01A	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name			KW	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders	900	900	800	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models DEUTZ FAHR ↓	V- RECCOMENDED FRONT LOADERS						• - MATCHING FRONT LOADERS								
44	5120G With a front TPH Sauter and without AdBlue					V										KW-M.DF5120G_AB
45	6130			•	V											KW-M.DF6130_AB
46	6130 Z TUZ SAUTER			V												KW-M.DF6130ST_AB
47	6115C z AB (With a front TPH Sauter and without)				V											KW-M.DF6115C_AB
48	6125C z AB (With a front TPH Sauter and without)				V											KW-M.DF6125C_AB
49	6135C z AB (With a front TPH Sauter and without)				V											KW-M.DF6135C_AB
50	4070E						V									KW-M.DF4080E_SV
51	4080E						V									KW-M.DF4080E_SV
52	4090E						V									KW-M.DF4080E_SV
53	4100E						V									KW-M.DF4080E_SV
	5125 (z AdBlue)					V										KW-M.DF5125_AB
	Agrotron 6145.4 RCSHift (Stage V, With a front TPH + AdBlue)			V						V						KW-M.DF6145.4_RCS_AB
	5080D Keyline Stage V						V									KW-M.DF5080DK_SV
	5095					V										KW-M.DF5105_AB
	5105					V										KW-M.DF5105_AB

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models SAME ↓	V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS								
1	Dorado³ 80							•			V		•			V	KW-M.SD80
2	Dorado³ 90							V			•		V			•	KW-M.SD90
3	Explorer 90.4 (LS DT HD)												V				KW-M.SE904_LS_HD
4	Explorer 95 classic								V	•				V	•		KW-M.LS95_SDM
5	Explorer II 90								V	•				V	•		KW-M.LS95_SDM
6	Explorer³ 100							V			•		V			•	KW-M.R385
7	Explorer³ 105							V			•		V			•	KW-M.SE105
	Explorer³ 105 TUZ Sauter																KW-M.SE105T
8	Explorer³ 85							V			•		V			•	KW-M.R385
9	Explorer³ 90							V			•		V			•	KW-M.SE105
	Explorer³ 90 TUZ Sauter																KW-M.SE105T
10	Roller 50								•	V				•	V		KW-M.LB70
11	Roller 60								•	V				•	V		KW-M.LB70
12	Roller 70								•	V				•	V		KW-M.LB70
13	Roller 70W New type								•	V				•	V		KW-M.70WN_SDM
14	Roller 70W Old type								•	V				•	V		KW-M.70W_SDM
15	Silver 130 With a front TPH					V							V				KW-M.S130
16	Silver 95,110							V			•		V			•	KW-M.R495
17	Tiger 65 Version without a cabin, with a protection frame							•			V		•			V	KW-M.LB75R
18	Tiger 75 Version without a cabin, with a protection frame							•			V		•			V	KW-M.LB75R

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models LAMBORGHINI ↓	V- RECOMMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS								
1	50 Lampo								●	V				●	V		KW-M.LB70
2	60 Lampo								●	V				●	V		KW-M.LB70
3	70 Lampo								●	V				●	V		KW-M.LB70
4	70W Lampo New type								●	V				●	V		KW-M.70W_SDM
5	70W Lampo Old type								●	V				●	V		KW-M.70WN_SDM
6	70 DT Lampo(2004_2005r.Air-cooled)								●	V				●	V		KW-M.70DT_SDM
7	1050 Premium							V			●		V			●	KW-M.1050_SDM
8	1060 Premium					V						V					KW-M.1060_SDM
9	GP 95 Target								V	●				V	●		KW-M.LS95_SDM
10	GP 95 Target With a front TPH								V	●				V	●		KW-M.LB95T_SDM
11	GP LS 874-90								V	●				V	●		KW-M.LB90_SDM
12	Lampo 70W New type								●	V				●	V		KW-M.70W_SDM
13	Lampo 70W Old type								●	V				●	V		KW-M.70WN_SDM
14	R2.56 Target + R2.66 Target + R2.76 Target								●	V				●	V		KW-M.R266_SDM
15	R3 EVO 100							V			●		V			●	KW-M.DF430
16	R3 EVO 85						V				●		V			●	KW-M.R385
17	R3.105							V			●		V			●	KW-M.SE105
18	R3.90							V			●		V			●	KW-M.SE105
19	R4.105						V					V					KW-M.4105_SDM
20	R4.95							V			●		V			●	KW-M.R495_SDM
21	75 Rekord version without a protective frame							●			V		●			V	KW-M.LB75R
22	Strike 115.4 T4i							V			●		V			●	KW-M.LS1154_T4

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name			KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders	900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models FARMER ↓	V- RECOMMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS								
1	F-8244 C2							V								●	KW-M.44C2_SDM
2	F2-8248 (PE)							V								●	KW-M.44C2_SDM
3	F-8244 C2 (Tractors manufactured after 01.01.2014 r.)							V								●	KW-M.8248T_SDM
4	F2-8248 (from number712)							V								●	KW-M.8248T_SDM
5	8248 PE (from number782)							V								●	KW-M.8248T_SDM
6	F-8244 C2 With a front TPH					V							V				KW-M.44C2T_SDM
7	F2-8248 (PE) With a front TPH					V							V				KW-M.44C2T_SDM
8	F-8258							V					V			●	KW-M.8258_SDM
9	F-9258 TE							●				V		●		V	KW-M.9258_SDM
10	F-7258 TE							●				V		●		V	KW-M.9258_SDM
11	F-9258 TE With a front TPH							●				V		●		V	KW-M.9258T_SDM
12	F-7258 TE With a front TPH							●				V		●		V	KW-M.9258T_SDM
13	F-10244 C1							●				V		●		V	KW-M.44C1_SDM
14	F3-7258											V				V	KW-M.F37258_T229/1_SDM
15	F3-7258 With a front TPH Pomarol Biskupiec							V				●		V		●	KW-M.F37258T_T229/1_SDM
16	F3-7258	V															KW-M.F37258_T812_SDM
17	F4-7258							V				●		V		●	KW-M.F47258
18	F4-6258							V				●		V		●	KW-M.F47258
19	F5-12272S							V				●		V		●	KW-M.F572S
20	F5-12272S With a front TPH							V					V				KW-M.F577ST
21	F5-12277S							V					V				KW-M.F577S

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models SAME ↓	V- RECOMMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS								
22	F5-12277S With a front TPH					V						V					KW-M.F577S
23	F5-12277S '2014						V				●		V			●	KW-M.F577S_14
24	F-13248						V				●		V			●	KW-M.F13248
25	FJ-8244						V				●		V			●	KW-M.8244_SDM
26	F-10244						V				●		V			●	KW-M.8244_SDM

Front loader version		TX30	T812	T812/1	T812/2N	T229					T229/1		T241			T241/1		Divider
Internal Index		TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name					KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		300 kg	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders			900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models FARMTRAC ↓	V- RECOMMENDED FRONT LOADERS										• - MATCHING FRONT LOADERS						
1	70 4WD											V					V	KW-M.FT70_SDM
2	665 DT											V					V	KW-M.FT70_SDM
3	80 4WD											V					V	KW-M.F675K
4	675 DT											V					V	KW-M.F675K
5	675 DT Europeline (2016 r. Stage III B engine with a DPF filter)											V					V	KW-M.F675E
6	675 DTn KING											V					V	KW-M.F675K
7	675 DT With a front TPH ZUIDBERG											V					V	KW-M.F675T
8	"685 DT Old type Identification number A05LIMB000000, homologation number e8*2001/3*00001*00"											V					V	KW-F685
9	"685 DT New type from mid-year2009 r. nr identyfikacyjny P6BA4C9000000, Homologation number e20*2005/67*0022*00"											V					V	KW-M.F690
10	"690 DT New type from mid-year2009 r. nr identyfikacyjny P6BA4C9000000, Homologation number e20*2005/67*0022*00"											V					V	KW-M.F690
11	690 DT With a front TPH ZUIDBERG IIIA											V					V	KW-M.F690T
12	685 DT With a front TPH ZUIDBERG IIIA											V					V	KW-M.F690T
13	690 DT Europeline With a front TPH ZUIDBERG IIIB											V					V	KW-M.F690ET
14	685 DT Europeline With a front TPH firmy ZUIDBERG IIIB											V					V	KW-M.F690ET
15	690 DT Europeline (Production start from approximately. 2015)											V					•	KW-M.F690E
16	685 DT Europeline											V					•	KW-M.F690E
17	7100 DT											V					V	KW-M.F7110
18	7110 DT											V					V	KW-M.F7110
19	7100 DT With a front TPH ZUIDBERG											V					V	KW-M.F7110T
20	7110 DT With a front TPH ZUIDBERG											V					V	KW-M.F7110T
21	7100 DT											V					V	KW-M.F7110E

Front loader version		TX30	T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider		
Internal Index		TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name					KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity		300 kg	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders			900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models FARMTRAC ↓	V- RECOMMENDED FRONT LOADERS								● - MATCHING FRONT LOADERS									
22	7110 DT Europeline																		KW-M.F7110E
23	7100 DT																		KW-M.F7110ET
24	7110 DT Europeline With a front TPH ZUIDBERG																		KW-M.F7110ET
25	9120																		KW-M.F9120E
26	9120 TUZ ZUIDBERG																		KW-M.F9120ET
27	9120																		KW-M.F9120E_T241
28	9120 TUZ ZUIDBERG																		KW-M.F9120ET_T241
29	9120 TUZ AGROMASZ																		KW-M.F9120EAT
30	9210 DTn Europeline With a front TPH METAL-FACH																		KW-M.F9120EMT
31	Heritage 6050 (with and without a cabin) loader1000kg																		KW-M.F6050H
32	Heritage 6050 (with and without a cabin) loader1000kg																		KW-M.F6060H
33	Heritage 6075 (with and without a cabin) loader1000kg																		KW-M.F6060H
34	680DTn Europeline																		KW-M.F680E
35	Heritage Cross 6050C DTLoader 1000kg without a cabin																		KW-M.F6050CH
36	Heritage Cross 6050C DT With and without a cabin Bartesko																		KW-M.F6050CHK_T812
37	26 compact																		KW-M.FT26
38	30 compact																		KW-M.FT26
39	26H																		KW-M.FT26H
40	30H																		KW-M.FT26H
41	26 (Tractor version with a Bartesko cabin)																		KW-M.FT30KB

Front loader version		TX30	T812	T812/1	T812/2N	T229					T229/1		T241			T241/1		Divider	
Internal Index		TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name					KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity		300 kg	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders			900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models FARMTRAC ↓	V- RECOMMENDED FRONT LOADERS										● - MATCHING FRONT LOADERS							
42	30 (Tractor version with a Bartesko cabin)				V														KW-M.FT30KB
43	30 (Tractor version with a cabin Sanayi) Turkey				V														KW-M.FT30KS
44	30 (Tractor version with a cabin Sanayi) Turkey				V														KW-M.FT30KS
45	26 HST (with a cabin Sanayi 2020r.)				V														KW-M.FT26HKS
46	680 DT								●			V		●			V		KW-M.F680
47	555		V																KW-M.F555.SDM
48	6075E (Nets Pro)											V					V		KW-M.F6075E
49	6075EN (Nets Pro)		V																KW-M.F6075EN
50	26 - LOADER TX 30																		KW-M.FT30_TX30
51	6050E NETS - without a cabin		V																KW-M.F6050E
52	680 DTV Europeline KING											V					V		KW-M.F680DTV_EK
53	9120 DTV Europeline KING (Stage V i z AdBlue)																		KW-M.F9120EK_SV
54	9130 DTV Europeline KING (Stage V i z AdBlue)																		KW-M.F9120EK_SV
55	555 DTC V		V																KW-M.F555DTCV
	6100 DTV Europeline KING																		KW-M.F6100EK_SV

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Szerokość FENDT		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models FENDT ↓	V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS								
1	Farmer 309 LS Turbomatik							V			•		V			•	KW-M.F309
2	Farmer 311 LSA Turbomatik					V						V					KW-M.F311
3	Farmer 312 LSA Turbomatik					V						V					KW-M.F311

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models SAME ↓	V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS								
1	Polmot 704 Version without a muffler and elbows							•			V		•			V	KW-M.704
2	Polmot 824 Version without a muffler and elbows							V			•		V			•	KW-M.824

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider		
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models JOHN DEERE ↓	V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS									
1	Power Synchron 3040							V									KW-M.3040	
2	5620																V	KW-M.5620
3	5820																V	KW-M.5820
4	5720																V	KW-M.5820
5	6230 Premium With a front TPH (version szwedzka)																V	KW-M.6230TS
6	6330																V	KW-M.6330
7	5070M (fixed displacement pump) With a front TPH																V	KW-M.5080MT
8	5080M (fixed displacement pump) With a front TPH																V	KW-M.5080MT
9	5090M (fixed displacement pump) With a front TPH																V	KW-M.5080MT
10	5100M (fixed displacement pump) With a front TPH																V	KW-M.5080MT
11	5070M (fixed displacement pump)																V	KW-M.5080M
12	5080M (fixed displacement pump)																V	KW-M.5080M
13	5090M (fixed displacement pump)																V	KW-M.5080M
14	5100M (fixed displacement pump)																V	KW-M.5080M
15	5070R (variable displacement pump)																V	KW-M.5080R
16	5080R (variable displacement pump)																V	KW-M.5080R
17	5090R (variable displacement pump)																V	KW-M.5080R
18	5100R (variable displacement pump)																V	KW-M.5080R
19	5070R (variable displacement pump) With a front TPH																V	KW-M.5080RT
20	5080R (variable displacement pump) With a front TPH																V	KW-M.5080RT
21	5090R (variable displacement pump) With a front TPH																V	KW-M.5080RT

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name			KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders	900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models JOHN DEERE ↓	V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS								
22	5100R (variable displacement pump) With a front TPH																KW-M.5080RT
23	5065E version with a cabinNAGLAK																KW-M.5065E
24	5083E																KW-M.5083E
25	5085M (5100M,5090M,5100R) 2015r																KW-M.5085M
26	6800 With a front TPH 6900/6600/6500																KW-M.6800T
27	6830 (PREVIOUS SERIES WAS 6630)																KW-M.6830
28	5090M 2018R																KW-M.5090M_18
29	5100M 2018R																KW-M.5090M_18
30	5115M 2018R																KW-M.5090M_18
31	6145R z TUZ-MF																KW-M.JD6145R
32																	
33	6095B - Russia																KW-M.JD6095B
34																	
35																	

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models JOHN JUMZ ↓	V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS								
1	6 AM							v			•		v			•	KW-M.J6AM_SDM

Front loader version		TX30	T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name					KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		300 kg	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders			900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models KIOTI ↓		V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS								
1	PX 9200 French version								V			•		V			•	KW-M.KPX9020
2	CS 2520 HST - With the tractor's original hydraulics	V																KW-M.KCS2520_HK_TX30
3	CK 4030. Tractor version with a cabin. Original hydraulics Kioti HK			V														KW-M.KCK4030_HK

Front loader version		TX30	T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name						DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		300 kg	800 kg	500 kg	300 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		800	900	900	800	1 0 4 0 wide	1 0 4 0 wide	1 0 4 0 wide	1 0 4 0 wide	840 nar- row	840 nar- row	1 0 4 0 wide	1 0 4 0 wide	1 0 4 0 wide	840 nar- row	840 nar- row	1 0 4 0 wide	
L.P.	Models KUBOTA ↓	V- RECCOMENDED FRONT LOADERS										• - MATCHING FRONT LOADERS						
1	L5040		V															KW-M.KL5040.SDM
2	B1-181	V																KW-M.KB1181
3	B1-241	V																KW-M.KB1241
4	B2-231 - ROPS	V																KW-M.KB2231
5	B2-231 With a cabin , original hydraulics Kubota	V																KW-M.KB2231K_HK
6	B2-261	V																KW-M.KB2231
7	L1-382 ROPS			V														KW-M.KL1382
8	L2-501		V															KW-M.KL2501
9	L2-522		V															KW-M.KL2501
10	L2-622 HST With a cabin , original hydraulics Kubota		V															KW-M.KL2622
11	EK1-261				V													KW-M.FT26
12	LX351 With original cabin / ROPS			V														KW-M.KLX351_HK
13	M6060								V			•		V			•	KW-M.M7060
14	M7060								V			•		V			•	KW-M.M7060
15	M6040									V	•				V	•		KW-M.M6040
16	M6040N_T812		V															KW-M.M6040N.T812
17	M7040									V	•				V	•		KW-M.M6040
18	M7040 Narrow_T812		V															KW-M.M7040N.T812

Front loader version		TX30	T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name						DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		300 kg	800 kg	500 kg	300 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		800	900	900	800	1 0 4 0 wide	1 0 4 0 wide	1 0 4 0 wide	1 0 4 0 wide	840 nar- row	840 nar- row	1 0 4 0 wide	1 0 4 0 wide	1 0 4 0 wide	840 nar- row	840 nar- row	1 0 4 0 wide	
L.P.	Models KUBOTA ↓	V- RECCOMENDED FRONT LOADERS									• - MATCHING FRONT LOADERS							
19	M7040 Narrow											V					V	KW-M.M7040N
20	M8540										V	•			V	•		KW-M.M8540
21	M9540										V	•			V	•		KW-M.M8540
22	M9960								V			•		V			•	KW-M.M9960
23	M8560								V			•		V			•	KW-M.M9960
24	M9960 French version without lower stabilizers								V			•		V			•	KW-M.K9960 F
25	M8560 French version without lower stabilizers								V			•		V			•	KW-M.K9960 F
26	ME 9000									V	•				V	•		KW-M.ME9000
27	ME 8200									V	•				V	•		KW-M.ME9000
28	M108S								V			•		V			•	KW-M.M108S
29	M100GX								V			•		V			•	KW-M.M110GX
30	M110GX								V			•		V			•	KW-M.M110GX
31	M128GX						V						V					KW-M.M135GX
32	M135GX						V						V					KW-M.M135GX
33	M4072											V					V	KW-M.M4072
34	M4062											V					V	KW-M.M4072
35	M5071 Narrow		V															KW-M.M5071N_T812
36	M5091								V			•		V			•	KW-M.M5091

Front loader version		TX30	T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider		
Internal Index		TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name						DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity		300 kg	800 kg	500 kg	300 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders		800	900	900	800	1 0 4 0 wide	1 0 4 0 wide	1 0 4 0 wide	1 0 4 0 wide	840 nar- row	840 nar- row	1 0 4 0 wide	1 0 4 0 wide	1 0 4 0 wide	840 nar- row	840 nar- row	1 0 4 0 wide		
L.P.	Models KUBOTA ↓	V- RECCOMENDED FRONT LOADERS										• - MATCHING FRONT LOADERS							
37	M5111								V				•		V			•	KW-M.M5091
38	M6142 z TUZ Kubota						V						V						KW-M.M6142T
39	M6-131							V					V						KW-M.M6121U
40	M6-121 Utility							V					V						KW-M.M6121U
41	M95GX-III								V				•		V			•	KW-M.M105GX-III
42	M105GX-III								V				•		V			•	KW-M.M105GX-III
43	M115GX-III						V						V						KW-M.M125GX-III
44	M125GX-III						V						V						KW-M.M125GX-III
45	M135GX-III						V						V						KW-M.M125GX-III
46	M7131 Premium With a front TPH Zuidberg tractor without reinforcement						V						V						KW-M.M7151T
47	M7151 Premium With a front TPH Zuidberg tractor without reinforcement						V						V						KW-M.M7151T
48	M7171 Premium With a front TPH Zuidberg tractor without reinforcement						V						V						KW-M.M7151T
49	M7132 With a front TPH Zuidberg tractor with reinforcement adapted for a loader						V						V						KW-M.M7132T
50	M7152 With a front TPH Zuidberg tractor with reinforcement adapted for a loader						V						V						KW-M.M7132T
51	M7172 With a front TPH Zuidberg tractor with reinforcement adapted for a loader						V						V						KW-M.M7132T

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models LANDINI ↓	V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS								
1	Powerfarm 95								V	•				V	•		KW-M.L95_SDM
2	Powerfarm 100								V	•				V	•		KW-M.L95_SDM
3	Vision 100							V			•		V			•	KW-M.L105
4	Vision 105							V			•		V			•	KW-M.L105
5	Vision 100 With a front TPH							V			•		V			•	KW-M.105T_SDM
6	Vision 105 With a front TPH							V			•		V			•	KW-M.105T_SDM
7	Power Mondial 115							V			•		V			•	KW-M.L115PM
8	Landpower 125 TDI Techno With a front TPH					V						V					KW-M.125T
9	Landpower 125					V						V					KW-M.L125
10	Landpower 125 With a front TPH „PolAgra Płońsk symbol T302/3”					V						V					KW-M.L125T

LOVOL (return)

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models LOVOL ↓	V- RECOMMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS								
1	904							V			●		V			●	KW-M.L904
2	1304						V					V					KW-M.L1304
3	504	V															KW-M.L504
4	604	V															KW-M.L604
	904-D																KW-M.L1104-D
	1104-D																KW-M.L1104-D

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name			KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders	900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models MASSEY FERGUSON ↓	V- RECOMMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS								
1	188A without a cabin							V								●	KW-M.MF188A
2	398								●	V					●	V	KW-M.398_SDM
3	575 next series590							V								●	KW-M.575
4	1014																KW-M.MF1014
5	2620							V									KW-M.2620
6	3060,3065							V								●	KW-M.3060
7	3080							V									KW-M.3090_SDM
8	3090							V									KW-M.3090_SDM
9	3085							V									KW-M.3095_SDM
10	3095							V									KW-M.3095_SDM
11	3655 Turbo							V									KW-M.3655_SDM
12	4255,4245							V								●	KW-M.4255
13	440 XTRA ALGERIA							V								●	KW-M.MF440X
14	6713							V								●	KW-M.MF6713
	4310E							V									KW-M.MF4310E
	280							V									KW-M.MF280
	2605	V															KW-M.MF2605
	2635							V									KW-M.MF2635
	1640E							V									KW-M.MF1640E
	1650E							V									KW-M.MF1650E
	4310E							V									KW-M.MF4310E

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider		
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models MTZ ↓	V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS									
1	80							V									•	KW-M.MTZ82A
2	82							V									•	KW-M.MTZ82A
3	82A							V									•	KW-M.MTZ82A

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models McCORMICK ↓	V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS								
1	CMAX 100							V			•		V			•	KW-M.CM100
2	MTX 125							V			•		V			•	KW-M.CM100

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider
Internal Index	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name			KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders	900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models NEW HOLLAND ↓	V- RECOMMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS							
1	TD60D Old type							●	V					●	V	KW-M.TD70_SDM
2	TD70D Old type							●	V					●	V	KW-M.TD70_SDM
3	TD60D New type (2007-2009)							●	V					●	V	KW-M.TD70P_SDM
4	TD70D Plus New type							●	V					●	V	KW-M.TD70P_SDM
5	7056 Bis							●	V					●	V	KW-M.7056_SDM
6	8066S						V			●		V			●	KW-M.8066
7	TL 80						V			●		V			●	KW-M.TL80_SDM
8	TL90						V			●		V			●	KW-M.TL80_SDM
9	TL100						V			●		V			●	KW-M.TL80_SDM
10	TL 90A						V			●		V			●	KW-M.100A
11	TL 100A						V			●		V			●	KW-M.100A
12	T5040						V			●		V			●	KW-M.100A
13	T5050						V			●		V			●	KW-M.100A
14	T5060						V			●		V			●	KW-M.100A
15	TD85D							V	●				V	●		KW-M.TD85
16	TD80D							V	●				V	●		KW-M.TD85
17	TD90D							V	●				V	●		KW-M.TD85
18	TD95D							V	●				V	●		KW-M.TD95
19	TD 5040 A tractor version without air conditioning						V			●		V			●	KW-M.TD5040
20	TD 5050 A tractor version without air conditioning						V			●		V			●	KW-M.TD5040
21	TD 5030						V			●		V			●	KW-M.TD5030

Front loader version		T812	T812/1	T812/2N	T229				T229/1			T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models NEW HOLLAND ↓	V- RECOMMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS									
22	TD 5020																	KW-M.TD5030
23	TD 5010																	KW-M.TD5030
24	TM 130 With a front TPH																	KW-M.TM130T
25	TD 5.105 (typ LACC 4B) Turkey version year2016																	KW-M.TD5105
26	TD 5.110 Russian version																	KW-M.TD5110.R
27	TD 5.65 Below 2016																	KW-M.CF65A
28	TD 5.85 Below 2016																	KW-M.CF85A
29	TD 5.95 Below 2016																	KW-M.CF95A
30	TD 5.105 Below 2016																	KW-M.CF95A
31	T 4030																	KW-M.T4030_SDM
32	T 4020																	KW-M.T4030_SDM
33	T 4040																	KW-M.T4040_SDM
34	T 4050 Deluxe																	KW-M.T4040_SDM
35	T 6010 Delta																	KW-M.T6010D
	T 6020 Elite																	KW-M.100A
36	TS 100A																	KW-M.T6010D
	TS 115A																	
	TS 115A With a front TPH																	KW-M.T6030PT
37	T6030 Delta																	KW-M.T6030D
38	T6050 Delta																	KW-M.T6030D
39	T6030 Delta With a front TPH																	KW-M.T6030DT

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider
Internal Index	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name			KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders	900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models NEW HOLLAND ↓	V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS							
40	T6050 Delta With a front TPH				V						V					KW-M.T6030DT
41	T6030 Plus					V					V					KW-M.T6030P
	T6030 Plus With a front TPH					V										KW-M.T6030PT
42	T4.75 PowerStar /2012						V			•		V			•	KW-M.T475
43	T4.75 PowerStar Tier 4 /2015						V			•		V			•	KW-M.T475_T4
44	T4.75 typ JY /2015						V			•		V			•	KW-M.T475_JY
45	T4.85 /2014						V			•		V			•	KW-M.T485
46	T4.95 typ JT /2015						V			•		V			•	KW-M.T495_JT
47	T5.95 HL T5.105 T5.115 OD2017						V			•		V			•	KW-M.T595_HL
48	T5.105						V			•		V			•	KW-M.T5105
49	T5.105 Electro Command With a front TPH						V			•		V			•	KW-M.T5105_ECT
50	T5.100;T5.110;T5.120 OD 2017r						V			•		V			•	KW-M.T5120
51	T5105 Utility Dual Command 2018 (Cast bracket)						V			•		V			•	KW-M.T5105_HL
52	T5.110 dynamic command					V										KW-M.T5110
53	T6.120						V			•		V			•	KW-M.T6120
54	T6.155 With a front TPH				V						V					KW-M.T6155T
55	T5.100 Utility Dual Command (Stage V, z AdBlue)						V					V				KW-M.T5100_U
	T5.110 Dynamic Command (Stage V, z AdBlue) Controlled by the original joystick					V										KW-M.T5110_DCV
	T5.90s						V					V				KW-M.T590S

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models PRONAR ↓	V- RECOMMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS								
1	85 Zefir							●			V		●			V	KW-M.P85Z
2	5112							V			●		V			●	KW-M.5112.SDM 122
3	5122							V			●		V			●	KW-M.5112.SDM 122
4	5130 With a front TPH					V						V					KW-M.5130T
5	5135							V			●		V			●	KW-M.5135
6	5135 With a front TPH					V						V					KW-M.5135T
7	5236							V			●		V			●	KW-M.5236
8	82 SA							V				V					KW-M.MTZ82A
9	82 TS							V				V					KW-M.MTZ82A
10	82 TSA							V				V					KW-M.MTZ82A
11	82A-II							V			●		V			●	KW-M.82TSAII
12	82SA-II							V			●		V			●	KW-M.82TSAII
13	82TSA-II							V			●		V			●	KW-M.82TSAII
14	1025A							V				V					KW-M.1025A
15	1025A-II							V			●		V			●	KW-M.1025AII
16	1221A					V						V					KW-M.1221 - Cannot be UA

Front loader version		T812	T812/1	T812/2N	T229					T229/1		T241			T241/1		Divider
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models RENAULT ↓	V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS								
1	Billancourt 92109 typ R7732							V			•		V			•	KW-M.7732_SDM

Front loader version		TX30	T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name					KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		300 kg	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders			900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models SOLIS ↓	V- RECOMMENDED FRONT LOADERS										● - MATCHING FRONT LOADERS						
1	50 RX		V															KW-M.S50RX.SDM
2	60 RX		V															KW-M.S60
3	60 HP FACELIFT - Lower exhaust outlet, without a cabin											V						KW-M.S60FL
4	60 RX – German market											V						KW-M.S60.T229.SDM
5	60 HP 2WD											V						KW-M.S60FL_2WD
6	50 RX FACELIFT - Upper and Lower exhaust outlet, without a cabin (transmission 8+2)		V															KW-M.S50RX_FL
7	50 RX Facelift (Tractor version with a cabin Sonalika, only Upper exhaust outlet, brakes ATB i HTB, transmission 8+2) SCANDINAVIAN		V															KW-M.S50RX_FGK
8	50 RX With a cabin . „English” version, reduced by 92 mm (transmission 8+2)		V															KW-M.S50RX_FGK_EN
9	Solis 50 RX (tractor With a cabin , Lower exhaust outlet, transmission 12+12) STAGE 3A		V															KW-M.S50RX_FDK_12+12
10	50 RX Facelift 2WD		V															KW-M.S50RX_FL_2WD
11	26 - transmission 6+2				V													KW-M.S26F
12	26 HST (without a cabin)				V													KW-M.S26F_HST
13	26 shuttle xl - transmission 9+9		V															KW-M.S26FS
14	75		V															KW-M.S60
15	50 RX Stage V hydraulic metal fach		V															KW-M.S50SV
16	SOLIS 50 stage V.Version with a cabin in protective frame.Original hydraulics SOLIS		V															KW-M.S50SV_HS
17	SOLIS 50 StageV. Version with a cabin in. Hydraulic trailer brakes		V															KW-M.S50SV_HTB
18	26 HST with a cabin				V													KW-M.SH26_HST
19	22				V													KW-M.S22

Front loader version		TX30	T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider		
Internal Index		TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name					KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity		300 kg	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders			900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models SOLIS ↓	V- RECOMMENDED FRONT LOADERS									● - MATCHING FRONT LOADERS								
20	60 RX Stage V																		KW-M.S60_SV
21	16 stage V	V																	KW-M.S16_TX30
22	20 stage V	V																	KW-M.S20_SV_TX30
23	20 Stage V				V														KW-M.S20N_SV
24	26 ShuttleXL With a cabin				V														KW-M.S26FSK
25	26 ShuttleXL With a cabin	V																	KW-M.S26FSK_TX30
	50 StageV.Version with a cabini ramą.Hydraulic trailer brakes		V																KW-M.S50SV_HTB

Front loader version		T812	T812/1	T812/2N	T229					T229/1		T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"	
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models STEYR ↓	V- RECOMMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS									
1	9105 MT							V									●	KW-M.S9105
2	9095 MT							V									●	KW-M.S9105
3	9085 MT							V									●	KW-M.S9105
4	8065 Turbo							V									●	KW-M.S8065
5	4085 Kompakt „EcoTech”							V									●	KW-M.S4085K
6	4085 Kompakt Hi-Lo							V									●	KW-M.S4085K_HL
7	4105 Kompakt							V									●	KW-M.S4105K
8	4105 Multi							V									●	KW-M.S4105M

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index		M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity		800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models TYM ↓	V- RECOMMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS								
1	T503		V														KW-M.Z45UT
2	T393 HST Version universal With a front TPH Hydro-Masz and without		V														KW-M.T393_HST
3	T854																
4	T954																
5	T1054																
6	T654	V															KW-M.Z65H_T812
7	T754	V															KW-M.Z65H_T812
8	T654										V					V	KW-M.Z65H
9	T754										V					V	KW-M.Z65H
10	T1204																
11	T1304																

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider
Internal Index	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name			KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders	900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models URSUS ↓	V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS							
1	4512 (cabin komfort 07) produced until the end 1988 r. - front axle without drive								•	V				•	V	KW-M.4512_SDM
2	4514 (cabin komfort 07) produced until the end 1988 r. - front axle without drive								V	•				V	•	KW-M.4514_SDM
3	5314 (cabin komfort 07) produced until the end 1988 r. - front axle without drive								V	•				V	•	KW-M.4514_SDM
4	5714 (cabin standard KOJA) produced until the end 1988 r. - front axle without drive)								V	•				V	•	KW-M.5714W_SDM
5	5314 (cabin standard KOJA) produced until the end 1988 r. - front axle without drive)								V	•				V	•	KW-M.5714W_SDM
6	4514 (cabin standard KOJA) produced until the end 1988 r. - front axle without drive)								V	•				V	•	KW-M.5714W_SDM
7	5714 (cabin standard KOJA) produced from 1989 r. - front axle with drive)								V		•		V		•	KW-M.5714S_SDM
8	5314 (cabin standard KOJA) produced from 1989 r. - front axle with drive)								V		•		V		•	KW-M.5714S_SDM
9	4514 (cabin standard KOJA) produced from 1989 r. - front axle with drive)								V		•		V		•	KW-M.5714S_SDM
10	6014 cabin Sekura 07S								V	•				V	•	KW-M.6014
11	6024								V		•		V		•	KW-M.6024
12	3724 with a cabin Metal-Fach	V														KW-M.U3724_T812 SDM
13	3724 with a cabin Metal-Fach									•		V	•		V	KW-M.U3724_T229/1 SDM
14	6824								V		•		V		•	KW-M.U5524.SDM 122
15	5524								V		•		V		•	KW-M.U5524.SDM 122
16	C-385 ; 385A								V		•		V		•	KW-M.C385
17	914								V		•		V		•	KW-M.914
18	914 Bison								V		•		V		•	KW-M.1014
19	1014,1012								V		•		V		•	KW-M.1014
20	1224 Version with the muffler inside the hood, next to the hood is also acceptable, only the muffler must be connected from below, 1224								V				V			KW-M.1224
21	10014H								V		•		V		•	KW-M.U10014H

Front loader version	T812	T812/1	T812/2N	T229					T229/1		T241			T241/1		Divider
Internal Index	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11	V.D16	V.K16	V.116	V.112	V.K12	" Walvoil 80L/min"
'Trade' name			KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity	800 kg	500 kg	500 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders	900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models VALTRA ↓			V- RECCOMENDED FRONT LOADERS					• - MATCHING FRONT LOADERS							
1	A93						V			•		V			•	KW-M.A95
2	A95						V			•		V			•	KW-M.A95
3	A95 With a front TPH						V			•		V			•	KW-M.A95T

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider	
Internal Index	TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11						
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.	
Lifting capacity	300 kg	800 kg	500 kg	300 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	
L.P.	Models ZETOR ↓	V- RECOMMENDED FRONT LOADERS							● - MATCHING FRONT LOADERS								
1	5211								●	V				●	V		KW-M.5245_SDM
2	5245								●	V				●	V		KW-M.5245_SDM
3	8145								V			●	V			●	KW-M.C385
4	8011								V			●	V			●	KW-M.914
5	8045								V			●	V			●	KW-M.1014
6	10145								V			●	V			●	KW-M.1014
7	7245 Muffler on the side(7340 Metal hood)								●	V				●	V		KW-M.7245_SDM
8	6245 Muffler on the side								●	V				●	V		KW-M.7245_SDM
9	7045 Muffler on the side								●	V				●	V		KW-M.7245_SDM
10	7745 Muffler on the side								●	V				●	V		KW-M.7245_SDM
11	5340 Muffler on the side								●	V				●	V		KW-M.7245_SDM
12	6340 Muffler on the side								●	V				●	V		KW-M.7245_SDM
13	6211 Muffler on the side								●	V				●	V		KW-M.7245_SDM
14	7211 Muffler on the side								●	V				●	V		KW-M.7245_SDM
15	5340 Muffler inside the hood								●	V				●	V		KW-M.5340_SDM
16	6340 Muffler inside the hood								●	V				●	V		KW-M.5340_SDM
17	7340 Muffler inside the hood								●	V				●	V		KW-M.5340_SDM
18	5320 Muffler inside the hood								●	V				●	V		KW-M.5340_SDM
19	7321								V	●				V	●		KW-M.7341_SDM
20	7341								V	●				V	●		KW-M.7341_SDM
21	6341								V	●				V	●		KW-M.7341_SDM

Front loader version		T812	T812/1	T812/2N	T229					T229/1		T241			T241/1		Divider	
Internal Index	TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11							
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity	300 kg	800 kg	500 kg	300 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	" Walvoil 80L/min"	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models ZETOR ↓	V- RECOMMENDED FRONT LOADERS									● - MATCHING FRONT LOADERS							
22	6321																	KW-M.7341_SDM
23	6441 Old type do połowy 2007r. (z dodatkowym kołnierzem z otworami do mocowania wsporników tylnych)																	KW-M.8441
24	7441 Old type do połowy 2007r. (z dodatkowym kołnierzem z otworami do mocowania wsporników tylnych)																	KW-M.8441
25	8441 Proxima Old type do połowy 2007r. (z dodatkowym kołnierzem z otworami do mocowania wsporników tylnych)																	KW-M.8441
26	7540 Tractor version without EHR must be intermediate																	KW-M.10540
27	8540 Tractor version without EHR must be intermediate																	KW-M.10540
28	9540 Tractor version without EHR must be intermediate																	KW-M.10540
29	10540 Tractor version without EHR must be intermediate																	KW-M.10540
30	6441 Proxima New type from mid-2007 to 2009 (with an additional collar with holes for mounting rear supports)																	KW-M.7441
31	7441 Proxima New type from mid-2007 to 2009 (with an additional collar with holes for mounting rear supports)																	KW-M.7441
32	8441 Proxima New type from mid-2007 to 2009 (with an additional collar with holes for mounting rear supports)																	KW-M.7441
33	75 Proxima New type from mid-2007 to 2009 (with an additional flange with holes for mounting rear supports)																	KW-M.7441
34	85 Proxima New type from mid-2007 to 2009 (with an additional collar with holes for mounting rear supports)																	KW-M.7441

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider					
Internal Index	TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11										
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.					
Lifting capacity	300 kg	800 kg	500 kg	300 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg					
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide					
L.P.	Models ZETOR ↓	V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS							" Walvoil 80L/min"					
35	Proxima 90 New 2012r.								V										•	KW-M.ZPX100CL	
36	Proxima 100 New 2012 r.								V											•	KW-M.ZPX100CL
37	Proxima 90 With a front TPH ZUIDBERG								V												KW-M.ZPX100CL
38	Proxima 100 With a front TPH ZUIDBERG								V												KW-M.ZPX100CL
39	12145 version with muffler inside the hood								V												KW-M.12145
40	12245 Muffler on the side 11245								V												KW-M.12145
41	12111 version with muffler inside the hood								V												KW-M.12145
42	Forterra 8641 New type without side covers								V											•	KW-M.641
43	Forterra 9641 New type without side covers								V											•	KW-M.641
44	Forterra 10641 New type without side covers								V											•	KW-M.641
45	Forterra 11441 New type without side covers								V											•	KW-M.641
46	Forterra 8641 Old type with side covers								V											•	KW-M.441
47	Forterra 9641 Old type with side covers								V											•	KW-M.441
48	Forterra 10641 Old type with side covers								V											•	KW-M.441
49	Forterra 11441 Old type with side covers 2002-2007								V										•	KW-M.441	
50	9641_12441 Forterra version universal With and without a front TPH Zuidberg, with and without side covers																			KW-M.ZF441T	
51	"Forterra Turbo 9641 Version of the tractor without EHR ver.1 - with a cabin on low front supports „								V										V	KW-M.9641	
52	"Forterra Turbo 10641 Version of the tractor without EHR ver.1 - with a cabin on low front supports „								V										V	KW-M.9641	

Front loader version		T812	T812/1	T812/2N	T229				T229/1		T241			T241/1		Divider		
Internal Index	TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11							
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity	300 kg	800 kg	500 kg	300 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models ZETOR ↓	V- RECOMMENDED FRONT LOADERS							• - MATCHING FRONT LOADERS									
53	"Forterra Turbo 11441 Version of the tractor without EHR ver.1 - with a cabin on low front supports „							V						V				KW-M.9641
54	"Forterra Turbo 9641 Version of the tractor without EHR ver.2 - with a cabin on high front supports „							V						V				KW-M.10641
55	"Forterra Turbo 10641 Version of the tractor without EHR ver.2 - with a cabin on high front supports „							V						V				KW-M.10641
56	"Forterra Turbo 11441 Version of the tractor without EHR ver.2 - with a cabin on high front supports „							V						V				KW-M.10641
57	Proxima Power 90													V			•	KW-M.Z95P
58	Proxima Power 95													V			•	KW-M.Z95P
59	Proxima Power 100													V			•	KW-M.Z95P
60	Proxima Plus 105 version with and without front TPH								V					V			•	KW-M.Z110P
61	Proxima Plus 90 version with and without front TPH								V					V			•	KW-M.Z110P
62	Proxima Plus 100 version with and without front TPH								V					V			•	KW-M.Z110P
63	Proxima Plus 90 version with and without front TPH								V					V			•	KW-M.Z110P
64	Forterra 95								V					V			•	KW-M.ZF95
65	Forterra 105								V					V			•	KW-M.ZF95
66	Forterra 115								V					V			•	KW-M.ZF95
67	Forterra 125								V					V			•	KW-M.ZF95
68	Forterra 100 16V								V					V			•	KW-M.ZF100
69	Forterra 110 16V								V					V			•	KW-M.ZF100

Front loader version		T812	T812/1	T812/2N	T229						T229/1		T241			T241/1		Divider
Internal Index	TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11							
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity	300 kg	800 kg	500 kg	300 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	" Walvoil 80L/min"	
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models ZETOR ↓	V- RECOMMENDED FRONT LOADERS									• - MATCHING FRONT LOADERS							
70	Forterra 120 16V																	KW-M.ZF100
71	Forterra 130 16V																	KW-M.ZF100
72	Forterra 100 16V (With a front TPH Zuidberg)																	KW-M.ZF100T
73	Forterra 110 HSX 16V																	KW-M.ZF110HSX
74	Forterra 110 HSX With a front TPH firmy Zuidberg																	KW-M.ZF110HSXT
75	Forterra 120 HSX With a front TPH firmy Zuidberg																	KW-M.ZF110HSXT
76	Forterra 150 HD 16V																	KW-M.ZF150HD
77	Forterra 150 HD 16V With a front TPH firmy ZUIDBERG																	KW-M.ZF150HDT
78	Major 80 '2013																	KW-M.Z80M
79	Major 80 '2015 Version Universal																	KW-M.Z80M_15T
80	Major 80 CL Stage 5																	KW-M.Z80M_15T_S5
81	Utilix 45 HT - version tractora With a front TPH MultiTech i without TUZ-a																	KW-M.Z45UT
82	Hortus 65 HS																	KW-M.Z65H
83	Hortus 65 HS_T812 With a front TPH MultiTech oraz without TUZ-a																	KW-M.Z65H_T812
84	Hortus 65 CL																	KW-M.Z65H_T812
85	Compax 25 CL																	KW-M.ZC25HT
86	Compax 25 CL																	KW-M.ZC25HT_T812/2N
87	Compax 40 CL																	KW-M.ZC40CL
88	Major 80 CL																	KW-M.Z80M_15T

Front loader version		T812	T812/1	T812/2N	T229						T229/1		T241			T241/1		Divider	
Internal Index		TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11							
'Trade' name					KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity		300 kg	800 kg	500 kg	300 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders			900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models ZETOR ↓	V- RECOMMENDED FRONT LOADERS										• - MATCHING FRONT LOADERS							
89	Major 80 HS																		KW-M.Z80M_HS
90	Major 80 HS z TUZ							V											KW-M.Z80M_HST
91	Proxima 80 CL (without AdBlue-old proxima 90)								V						V				KW-M.Z90PX
92	Proxima 100 CL without AdBlue								V						V				KW-M.ZPX100CL
Tractori z roku 2017 z AdBlue																			
87	Proxima 100 CL z AdBlue								V						V				KW-M.ZPX100CL_AB
88	Proxima 80 GP probably fits CL (without AdBlue-old proxima plus)								V						V				pasuje konstrukcja proxima plus
89	Proxima 100 GP								V						V				KW-M.ZPX100CL_AB
90	Proxima 110 GP								V						V				KW-M.ZPX100CL_AB
91	Proxima 80 HS (without AdBlue-old power) version with and without front TPH								V						V				KW-M.Z120PT
92	Proxima 100 HS without TUZ								V						V				KW-M.ZPX120HS_AB_S5
93	Proxima 110 HS without TUZ								V						V				KW-M.ZPX120HS_AB_S5
94	Proxima 120 HS without TUZ								V						V				KW-M.ZPX120HS_AB_S5
	Proxima HS With a front TPH Zuidberg								V						V				KW-M.ZPX120HST_AB_S5
95	Forterra 100 CL 16V version with and without front TPH								V						V				KW-M.ZF110CL_16V_AB
96	Forterra 110 CL 16V version with and without front TPH								V						V				KW-M.ZF110CL_16V_AB

Front loader version		T812	T812/1	T812/2N	T229						T229/1		T241			T241/1		Divider					
Internal Index		TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11											
'Trade' name					KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.						
Lifting capacity		300 kg	800 kg	500 kg	300 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg						
Width loaders			900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide						
L.P.	Models ZETOR ↓	V- RECOMMENDED FRONT LOADERS									● - MATCHING FRONT LOADERS												
97	Forterra 120 CL 16V version with and without front TPH																		V	V	●	KW-M.ZF110CL_16V_AB	
98	Forterra 130 CL 16V version with and without front TPH																			V	V	●	KW-M.ZF110CL_16V_AB
99	Forterra 140 CL 16V version with and without front TPH																			V	V	●	KW-M.ZF110CL_16V_AB
103	Forterra 110 CL 16V TUZ																			V	V	●	KW-M.ZF110CLT_16V_AB
104	Forterra 130 CL -Lithuanian version version with and without front TPH																			V	V	●	KW-M.ZF130CL_AB
105	Forterra 130 CL TUZ ZUIDBERG																			V	V	●	KW-M.ZF130CLT_AB
106	Forterra 100 HSX version with and without front TPH																			V	V	●	KW-M.ZF140HSXT_AB
107	Forterra 110 HSX version with and without front TPH																			V	V	●	KW-M.ZF140HSXT_AB
108	Forterra 120 HSX version with and without front TPH																			V	V	●	KW-M.ZF140HSXT_AB
109	Forterra 130 HSX version with and without front TPH																			V	V	●	KW-M.ZF140HSXT_AB
110	Forterra 140 HSX version with and without front TPH																			V	V	●	KW-M.ZF140HSXT_AB
111	Forterra 140 HSX version with and without front TPH																			V	V		KW-M.ZF140HSXT_AB
112	Forterra 130 HD version with and without front TPH																			V			KW-M.ZF140HD_AB
113	Forterra 140 HD version with and without front TPH																			V			KW-M.ZF140HD_AB
114	Forterra 150 HD version with and without front TPH																			V			KW-M.ZF140HD_AB
116	Crystal 170 HD (AdBlue) version universal																			V			KW-M.ZC170HD_AB

Front loader version		T812	T812/1	T812/2N	T229						T229/1		T241			T241/1		Divider
Internal Index	TX30-F4A	M.019A	V.01A	M.01A	V.E15	V.D15	V.P15	V.K15	V.115	V.111	V.K11							" Walvoil 80L/min"
'Trade' name				KW	DS.	DS.	PS.	KS.	KW.	KW.	KS.	DS.	KS.	KW.	KW.	KS.		
Lifting capacity	300 kg	800 kg	500 kg	300 kg	1600 kg	1600 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg	1600 kg	1600 kg	1600 kg	1300 kg	1300 kg		
Width loaders		900	900	800	1040 wide	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide	1040 wide	1040 wide	840 narrow	840 narrow	1040 wide		
L.P.	Models ZETOR ↓		V- RECOMMENDED FRONT LOADERS									• - MATCHING FRONT LOADERS						
Stage V																		
	100 Proxima CL GP stage V													V			V	KW-M.NZP100CL_GP_SV
	100 Proxima CL GP stage V							V										KW-M.ZP100CL_GP_SV
	Forterra CL stage V							V										KW-M.ZF110CL_16V_AB



Metal-Fach Sp. z o.o. is constantly improving its products and adjusting its package to the needs of its customers, so it reserves the right to make changes to its product range without notice. Therefore, before making your purchase decision, please contact an authorised dealer or sales representative of Metal-Fach. Metal-Fach Sp. z o.o. will not accept any complaints regarding the data and pictures contained in the catalogue, as the presented range of products does not constitute an offer within the meaning of the provisions of the Civil Code.

The pictures do not necessarily show standard accessories. Technical data of the selected product may vary depending on the selected equipment.

Original spare parts are available from authorised dealers, both in Poland and abroad, and also at the Metal-Fach retail outlet.

Servicing

16-100 Sokółka, ul. Kresowa 62
tel.: +48 85 711 07 80; fax: +48 85 711 07 93
serwis@metalfach.com.pl

Sales

16-100 Sokółka, ul. Kresowa 62
tel.: +48 85 711 07 78; fax: +48 85 711 07 89
handel@metalfach.com.pl

Spare parts for farming machinery

16-100 Sokółka, ul. Kresowa 62

Spare parts – wholesale
tel.: 85 711 07 81; fax: 85 711 07 93
hurtownia@metalfach.com.pl

Spare parts – retail sales
+48 533 111 477
tel.: +48 85 711 07 90
sklep.kontakt@metalfach.com.pl